





Copy Layout design (Application Difference) from 1 user to another

**Example: Copy Application Difference from User ADMIN to user TEST

- 1. Go to Tools > Customization Centre
- 2. Expand 'User' and double click into 'AutoCreated for ADMIN' (User ADMIN)

🔜 🔪 🖄 🖉 🔰	< 🛈 🕘 C	·	~					F		
Home	Edit	Info	View 1	Tools	Inquiry	Maintenance	2			
🍯 🔊 2			Sec.	1	×					
Bug Report Remote Support	Customization Centre	Purge Au Trail	udit Device Setting	e ALAEDat js Export	ta Connected Users	Clear Transactions	Databas Utility N	se •		
		Tools				Databas	se	ы		
Navigation	Navigation									
Default 💋 User Difference										
🛅 Draft			lame				+ 0	omb		
Application Differ	rence		+ Model				U	UIID		
🔏 My Details		3 (-) User							
凝 Security System		Autocreated at 24/05/2017 9:21:41 AM For TEST								
🮯 Security System	▶ 4	▶ 4 AutoCreated for ADMIN 03/07/2015 5:42:55 PM								



QNE SOFTWARE SDN.BHD.(611852-V)



- 3. Go to [XML Content] and copy all the contents
- 4. Close the ADMIN's Application Difference

7	🖅 🔽 🗸 Ĉ 🤊 ⊽ 🖉 AutoCreated for ADMIN 03/07/2015 5:42::														
	Home Home														
[2		2	<i>i</i>	×	-	C	5		$\overline{\mathfrak{S}}$	G	Ξ	×	Language
1	vew ♥	Reload model			Merge Differences	Delete	Clone	. Refresh	Cancel	Reset View Settings	Audit Trail		Forward	Close	
Re	cords	s Creation		Save			E	Edit		Vie	N	Records	Navigation	Close	
-		1				8									
L		Model	Xml Con	itent 🕧) General	b User	s								
2	<4>	Applicatio	n>												
	<	SchemaN	1odule:	s>											
		<schemal< th=""><th>Module</th><th>e Name</th><th>="CloneO</th><th>bjectMo</th><th>odule"</th><th>Version</th><th>="16.2.4</th><th>.0" IsNew</th><th>Node='</th><th>'True" /></th><th>></th><th></th><th></th></schemal<>	Module	e Name	="CloneO	bjectMo	odule"	Version	="16.2.4	.0" IsNew	Node='	'True" />	>		
		<schemal< th=""><th>Module</th><th>e Name</th><th>="IOMod</th><th>ule" Ver</th><th>sion="</th><th>2017.1.0</th><th>).3" IsNe</th><th>wNode="</th><th>True" /></th><th>></th><th></th><th></th><th></th></schemal<>	Module	e Name	="IOMod	ule" Ver	sion="	2017.1.0).3" IsNe	wNode="	True" />	>			
	<schemamodule isnewnode="True" name="IOWinModule" version="2017.1.0.3"></schemamodule>														
	<schemamodule isnewnode="True" name="LogicModule" version="16.2.4.6"></schemamodule>														
	<schemamodule isnewnode="True" name="ModelArtifactStateModule" version="16.2.4.6"></schemamodule>														
	<schemamodule isnewnode="True" name="ModelDifferenceModule" version="2017.1.0.3"></schemamodule>														
	<schemamodule isnewnode="True" name="ModelDifferenceWindowsFormsModule" version="2017.1.0.3"></schemamodule>														
	<schemamodule isnewnode="True" name="SystemModule" version="16.2.4.0"></schemamodule>														
	<schemamodule isnewnode="True" name="SystemWindowsFormsModule" version="16.2.4.0"></schemamodule>														
	SchemaModule Name="UserSettingsModule" Version="2017.1.0.3" IsNewNode="True" />														
	SchemaModule Name="UserSettingsWinModule" Version="2017.1.0.3" IsNewNode="True" />														
	<schemamodule isnewnode="True" name="WizardUlWindowsFormsModule" version="16.2.4.6"></schemamodule>														
	<schemamodule isnewnode="True" name="XpandSecurityModule" version="16.2.4.6"></schemamodule>														
	<schemamodule isnewnode="True" name="XpandSecurityWinModule" version="16.2.4.6"></schemamodule>														
	<pre><scnemaivodule isnewnode="True" name="XpandSystemModule" version="16.2.4.6"></scnemaivodule> </pre>														
	<pre><scnemaiviodule isnewnode="Irue" name="xpandSystemwindowsFormsModule" version="16.2.4.6"></scnemaiviodule> </pre>														
		scnema	vioaule	e Name	= xpandv	alidatio	niviodu	ile" ver	sion="16	0.2.4.6° ISI	rewnoo	ie="irue	21/2		

5. Double click into 'AutoCreated for TEST' (User TEST)

Application Difference						
	🕣 User Difference					
	Name 🔺					
	* Model					
	😑 User					
►	Autocreated at 24/05/2017 9:21:41 AM For TEST					
	AutoCreated for ADMIN 03/07/2015 5:42:55 PM					





- 6. Go to [XML Content]
- 7. Highlight all and paste the XML Content copied from user ADMIN
- 8. Click on [Model]
- 9. Click SAVE and click on Reload Model



- 10. Let the system load for a while then click Close
- 11. Logout ADMIN from QNE
- 12. Login with TEST and will have the same Layout Design (Application Difference) like ADMIN